

Issue date	March 1, 2015	Safety Data Sheet	
Reviewed date	December 19, 20		
		SDS ID# 5035	
Section 1. IDEN			
1.1. Product ide Product form		Mixture	
i i oddet i offiti			
Product name	:	Nitrogen Dioxide (0.0001%-0.05%) in Nitrogen	
1.2. Relevant ide	entified uses of the	substance or mixture and uses advised against	
Product use	:	Calibration gas/Bumptest gas/Function test gas	
1.3. Details of th	ne supplier of the sa	afety data sheet	
Intermountain S			
21913 Cobalt Av	-		
Caldwell, Idaho 8 Telephone 1-208		free 1-800-552-5003	
www.isgases.com			
-			
1.4. Emergency Emergency num	telephone number	CHEMTREC: 1-800-424-9300	
	ARDS INDENTIFICAT		
Classification		GASES UNDER PRESSURE - Compressed gas	
		imple asphyxiant - Yes	
2.2. Label eleme	ents		
Hazard pictogra	ms	^	
Signal word	:	WARNING	
-			
Hazard stateme		H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED	
		OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL	
Precautionary st [General]		Road and follow all Safety Data Shoots (SDS's) before use Road label before use	Koon
		Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. I out of reach of children. If medical advice is needed, have a product container or la	-
	C C		
FN (English US)		SDS ID# 5035	Page 1



	hand. Use equipment rated for cylinder pressure.
[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P308+P313 - If exposed or concerned: Get medical advice/attention. : P271+P403- Use only outdoors or in a well-ventilated area
[Response]	
	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. : P313 - Get medical advice/attention.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3. Other hazards	

No additional information available

2.4.	Unknown	acute	toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

## 3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	99.95 - 99.9999
Nitrogen Dioxide	(CAS No) 10102-44-0	0.0001 - 0.05

Section 4. FIRST AID MEAS	SURES	
4.1. Description of first aid	l measures	
General	: IF exposed or concerned: Get medical advice/attention.	
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breath	ing. If
	breathing has stopped, give artificial respiration or oxygen by trained pers	onnel. If
	victim feels unwell, seek medical advice.	
Skin contact	: Immediately flush with copious amount of water for at least 15 minutes.	
Eye contact	: Immediately flush with copious amount of water for at least 15 minutes.	
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inl	nalation
	section.	
4.2. Most important symp	otoms/effects, acute and delayed	
Acute		
Inhalation	: May displace oxygen and cause rapid suffocation.	
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.	
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.	
EN (English US)	SDS ID# 5035	Page 2



Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation section.
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate medical advice/attention.
Symptoms/injuries upon intravenous administration	: Not known
Chronic symptoms Delayed	: Adverse effects not expected from this product. : Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

5.1. Extinguishing media Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known
5.2. Special hazards arising from th	ne substance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for fire-fighters	
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

Section of Accidental Relea	SE MILASURES	
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Ensure adequate ventilation.	
6.1.1. For non -emergency per	sonnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.	
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows	s of
	adjacent premises. Keep containers closed. Mark the danger area. Seal off lo	ow-lying
	areas. Keep upwind.	
6.1.12. For emergency respone	ders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing	3
	Apparatus) for fire fighters. Equip cleanup crew with proper protection.	
EN (English US)	SDS ID# 5035	Page 3 (



emergency personnel".   i.2. Methods and material for containment and cleaning up   for containment : Immediately contact emergency personnel. Try to stop gas leak if safe to do so.   .Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.   section 7. HANDLING AND STORAGE   Yata Precautions for safe handling   Precautions for safety handling   Protect cylinder pressure.   Po not drag, roll, slide, or drop.		
For containment : Immediately contact emergency personnel. Try to stop gas leak if safe to do so.   Wethods for cleaning up :Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.   Section 7. HANDLING AND STORAGE ************************************	Emergency procedures	
Wethods for cleaning up :Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.   Section 7. HANDLING AND STORAGE :   V.1. Precautions for safe handling : Pressurized container: Do not pierce or burn, even after use. Use equipment rate for cylinder pressure. Do not handle until all safety precautions have been read ar understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.   Hygiene measures : Do not eat, drink or smoke when using this product.   '.2. Conditions for safe storage, including any incompatibilities : None known.   ':corage conditions : Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.   ncompatible products : None known.	6.2. Methods and material for cont	ainment and cleaning up
and/or international regulations.   Section 7. HANDLING AND STORAGE   V1. Precautions for safe handling   Precautions for safety handling   Precautions for safe storage, including any incompatibilities   P	For containment	
A.1. Precautions for safe handling   Precautions for safety handling : Pressurized container: Do not pierce or burn, even after use. Use equipment rate for cylinder pressure. Do not handle until all safety precautions have been read ar understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.   Hygiene measures : Do not eat, drink or smoke when using this product.   *.2. Conditions for safe storage, including any incompatibilities   Technical measures : None known.   : Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.   ncompatible products : None known.		•
Precautions for safety handling: Pressurized container: Do not pierce or burn, even after use. Use equipment rate for cylinder pressure. Do not handle until all safety precautions have been read ar understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.Hygiene measures: Do not eat, drink or smoke when using this product.Prechnical measures: None known.Conditions: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.ncompatible products: None known.	Section 7. HANDLING AND STORAG	GE
for cylinder pressure. Do not handle until all safety precautions have been read ar understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop. : Do not eat, drink or smoke when using this product.	7.1. Precautions for safe handling	
<b>7.2. Conditions for safe storage, including any incompatibilities</b> Technical measures : None known.   Storage conditions : Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.   ncompatible products : None known.	Precautions for safety handling	eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical
Technical measures: None known.Storage conditions: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.ncompatible products: None known.	Hygiene measures	: Do not eat, drink or smoke when using this product.
Storage conditions: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.ncompatible products: None known.	7.2. Conditions for safe storage, inc	cluding any incompatibilities
containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area. ncompatible products : None known.	Technical measures	: None known.
	Storage conditions	containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in
ncompatible materials : None known.	Incompatible products	: None known.
	Incompatible materials	: None known.

## Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Nitrogen (7727-37-9	)			-
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm	mg/m <sup>3</sup>	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
Natastablished	Net established	Not established	Not established	Simple asphyxiant
Not established	Not established			
Nitrogen Dioxide (10	)102-44-0)			-
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
ppm	mg/m <sup>3</sup>	8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
( C ) 5 ppm	( C ) 9 mg/m <sup>3</sup>	(ST) 1 ppm	(ST) 1 ppm	0.2 ppm



8.2. Appropriate engineering controls		
Engineering measures/controls	: Provide adequate general and local exhaust ventilation. Systems under pressure	
	should be regularly check for leakages. Ensure exposure is below occupational	
	exposure limits. Oxygen detectors should be used when asphyxiating gases may me	
	released. Consider work permit system e.g. for maintenance activities.	

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an
	approved standard if a risk assessment indicates this is necessary.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See
	section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

9.1. Exposure controls	
Appearance	: Compressed gas
Physical state	: Gas
Color	Reddish-brown in air.
Odor	: Acrid
Odor threshold	: 0.1 - 0.4 ppm
рН	: No data available
Freezing point	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not Flammable - not combustible
Upper flammability	: Not Flammable - not combustible
Lower flammability	: Not Flammable - not combustible
Relative density	: No data available
Solubility	: No data available
Partition coefficient	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: Not applicable

	Nitrogen Dioxide	Nitrogen	
Molecular weight (grams)	46.01	28.013	
Boiling point	21.1 °C	-196 °C	
Vanor pressure	11 & nsia@STP	Above critical	
EN (English US)	SDS ID# 503	5	Page 5 d



# Nitrogen Dioxide (0.0001%-0.05%) in Nitrogen

vapor pressure	14.0 psia@311	temperature	
Vapor density at 20°C	2.8	0.97	
Relative gas density	3.4	1.153	
Critical Temperature	158.2 °C	-146.9 °C	

### Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

**10.3.** Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.4. Conditions to avoid

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.5.	Incom	patible	materials
		patible	materials

Strong oxidizing agents. Combustible materials. Organic material.

**10.6. Hazardous decomposition products** 

Nitrogen oxides (Nox)

#### Section 11. TOXICOLOGICAL INFORMATION

**Acute toxicity** 

Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	410,000 ppm/4h
Nitrogen dioxide (10102-44-0)	
LC50 inhalation rat (ppm)	115 ppm / 1 hour
11.1. Information on routes of exp	osure
Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Adverse effects not expected from this product

- Eye contact : May cause irritation.
- Ingestion : Ingestion is not considered a potential route of exposure
- **11.2.** Symptoms related to physical, chemical and toxicological characteristics

Symptoms	Simple asphyxiant. May cause suffocation by displacing the oxygen in the air.
	Exposure to oxygen-deficient atmosphere (<=18%) may cause dizziness,
	drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss
	of consciousness and death. Exposure to atmospheres containing 8-10% or less
	oxygen will bring about unconsciousness without warning and so quickly that the
	individuals cannot help or protect themselves. Lack of sufficient oxygen may cause



11.3. Delayed and immediate effects	
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or frostbite. Concentrations
	of 10-20 ppm Nitrogen dioxide are mildly irritating to the skin.
Serious eye damage/irritation	: Contact with rapidly expanding gas may cause burns or frostbite. Concentrations
	of 10-20 ppm Nitrogen dioxide are mildly irritating to the eyes.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: This product does not contain any carcinogens or potential carcinogens listed by
	OSHA, IARC or NTP.
Reproductive toxicity	: Not classified
Developmental Toxicity	: Not classified
Specific target organ toxicity (single	: Respiratory system, eyes and skin.
exposure)	
Specific target organ toxicity (repeated	d : Repeated overexposure to Nitrogen dioxide may cause respiratory problems,
exposure)	fatigue, alteration to taste and smell, dental erosion and gum disease.
Aspiration hazard	: Not classified
	Not applicable for gases and gas-mixtures

#### **11.4.** Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

#### Section 12. ECOLOGICAL INFORMATION

**12.1. Aquatic Toxicity** 

No information available for the product

#### 12.2. Persistence and degradability

No information available for the product

#### 12.3. Bioaccumulative potential

No information available for the product

#### 12.4. Mobility in soil

No information available for the product

#### 12.5. Other

No information available for the product

### Section 13. DISPOSAL CONSIDERATIONS

#### **13.1.** Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

#### Section 14. TRANSPORATION INFORMATION



# Nitrogen Dioxide (0.0001%-0.05%) in Nitrogen

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Nitrogen Dioxide)			
Transport hazard class(es)	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON FLAMMABLE GAS	2.2 NON FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

# Section 15. REGULATORY INFORMATION

**15.1. US Federal regulations** 

## SARA 311/312 hazard categories

	<b>3</b>
Acute Health	: Yes
Chronic Health	: No
Fire	: No
Pressure	: Yes
Reactive	: No
SARA Title III Notifications	and Information: None known
This product does not con	ain toxic chemicals subject to reporting requirements of section 313 of the Emergency planning
and Community Right-To-I	now Act (EPCRA) of 1986 and of 40 CFR 372.
SARA 311/312	Sudden Release of Pressure Hazard

## 15.2. US State regulations

Nitrogen (007727-37-9) U.S Massachusetts - Right To Know List	
U.S Minnesota - Right To Know Hazardous Substance List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	
Nitrogen dioxide (10102-44-0)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	

Section 10. OTHER INFORMATION	
Date of issue/Date of revision	11/1/2023
Revision Note	
Hazardous Material Information S	ystem (USA)
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe



Health	:1
Fire	: 0
Physical hazards	: 3

Key/Legend	
SARA	Superfund Amendments and Reauthorization Act
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
TSCA	Toxic Substance Control Act
NTP	National Toxicology Program
ACGIH	American Conference of Governmental Industrial Hygienists
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TDG	Transportation of Dangerous Goods
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate
Repr. 2	Reproductive toxicity Category 2

### **DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES**

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).